

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

PRODUCT : CUMIN EGYPT OIL  
Chemical name : Cumin, oil  
CAS : 8014-13-9  
EC Number : 283-881-6  
Registration number (REACH) : --/--  
Index No.:

**1.2 Relevant identified uses of the substance or mixture**

Industrial uses. Formulation [mixing] of preparations.  
Uses advised against: Other uses than those recommended.  
{?/TIPOREG}  
{?/EEXP}

**1.3 Details of the supplier of the safety data sheet**

Lluch Essence, SL  
C/ Lo Gaiter de Llobregat 160, 08820 El Prat de Llobregat, Barcelona (Spain - Spain)  
Phone Number: +34 93 379 38 49; Fax: +34 93 478 27 54.

**1.4 Emergency telephone number**

Tel. +34 933 793 849 (8:00 - 17:00 GMT/UTC +1)  
Tel. +1 760 476 3961 Access Code: 335550 (available 24/7 - Verisk 3E)  
More emergency telephones by region:  
<http://www.lluche.com/Emergencytelephones.pdf>.

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008**

Skin corrosion/irritation, Hazard Category 2; H315  
Sensitisation — Skin, Hazard Category 1; H317  
Reproductive toxicity, Hazard Category 2; H361  
Aspiration hazard, Hazard Category 1; H304  
Long-term (chronic) aquatic hazard, category chronic 2; H411.

**2.2 Label elements**

EC Number: 283-881-6  
Cumin, oil



Signal word: Danger

Hazard Statements:

H304: May be fatal if swallowed and enters airways.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H361: Suspected of damaging fertility or the unborn child.  
H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements:

P201: Obtain special instructions before use.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P331: Do NOT induce vomiting.  
P501: Dispose of contents/container to an approved waste disposal plant.

**2.3 Other hazards**

**SAFETY DATA SHEET****CUMIN EGYPT OIL**

(according to Regulation (EU) No. 1907/2006)

Revision date: 26/11/2020 | Date of issue: 27-01-2021 | Version: 21



Not available.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Concentration range of the constituent (% weight/weight)	EC number / Registration number	CAS	Chemical name
≥50% and ≤100	283-881-6	8014-13-9	Cumin, oil

The chemical identity of any impurity, stabilising additive, or individual constituent other than the main constituent:

Concentration (%)	CAS	EC Number	Chemical name	Hazard Class and Category Code; Hazard statement codes
<45,00	122-03-2	204-516-9	4-Isopropylbenzaldehyde	Acute Tox. 4;H302 <sup>[1]</sup>
<20,00	1330-16-1	215-533-6	Pinene	Flam. Liq. 3;H226- Skin Irrit. 2;H315- Skin Sens. 1;H317- Asp. Tox. 1;H304- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 <sup>[1]</sup>
<10,00	99-87-6	202-796-7	P-cymene	Flam. Liq. 3;H226- Repr. 2;H361- Asp. Tox. 1;H304- Aquatic Chronic 2;H411 <sup>[1]</sup>

[1] Constituent.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

Consumption:	If swallowed, rinse mouth with water. Seek medical advice immediately and show this container or label. Keep the person at rest. Do NOT induce vomiting.
Eye contact:	Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water and seek medical advice.
Inhalation:	Remove person to fresh air and keep at rest.
Skin contact:	Remove contaminated clothing. Wash skin with mild soap and water, rinse abundantly. If symptoms persist, obtain medical attention.

**4.2 Most important symptoms and effects, both acute and delayed:**

Irritating to skin or mucous membranes (inflammation). If ingested, it may cause temporary irritation to the gastrointestinal (digestive) tract. May produce an allergic reaction (rash, urticaria).  
Aspiration hazard. May cause lung damage if swallowed (aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration).  
Read label before use. No additional information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Not available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide, dry chemical powder or appropriate foam.  
For safety reasons do not use full water jet.

**5.2 Special hazards arising from the substance or mixture**

Not applicable.

**5.3 Advice for firefighters**

In case of fire in the surrounding area, follow the recommendations below:  
1-Closed containers may build up pressure at elevated temperatures.  
2-Avoid inhalation of fumes or vapours. Use appropriate respiratory protection.  
3-Prevent run-off from fire fighting to enter drains or water courses.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear appropriate gloves to prevent skin exposure.  
 Avoid breathing vapours. Use a suitable respiratory apparatus if necessary. Avoid contact with eyes and skin.  
 Maintain adequate ventilation in the working area after spilling.

**6.2 Environmental precautions**

Avoid contaminating the environment via the sewers or water sources.

**6.3 Methods and material for containment and cleaning up**

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).  
 Ventilate area and wash spill site after material pickup is complete.  
 Dispose of in accordance with current laws and regulations.

**6.4 Reference to other sections**

See also sections 8 and 13.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Keep away from food, drink and animal feedingstuffs. Do not smoke.  
 Avoid contact with skin and eyes.  
 Handle in accordance with good industrial hygiene and safety practice.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep the product in its original container well sealed, in a dry and ventilated area, away from potential sources of ignition and protected from light. Store in accordance with local/national regulations and follow the warnings on the label.  
 Keep away from incompatible substances (see section 10).

**7.3 Specific end use(s)**

Not available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

Occupational Exposure Limits:

Spain			
Name of agent	Limit value - 8 hours	Limit value - Short term	Notation
Pinene	113 mg/m <sup>3</sup>		-

**8.2 Exposure controls**

Personal protection equipment: Appropriate personal protective equipment shall be worn in accordance with Regulation (EU) 2016/425.  
 Engineering Controls-Ventilation: The areas where the product is handled and stored should be adequately ventilated.  
 Respiratory Protection: Use personal breathing apparatus whenever deemed necessary.  
 Skin Protection: Avoid contact with skin. Compatible chemical-resistant gloves are recommended.  
 Rinse and remove gloves immediately after use. Wash hands with soap and water thoroughly after handling.  
 Eye/Face protection: Chemical safety goggles are recommended. Wash contaminated goggles before reuse.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

Appearance: LIQUID  
 Colour: YELLOW  
 Odour: SPICY  
 Odour threshold: Not determined  
 pH value: Not determined  
 Evaporation rate: Not determined  
 Melting point: Not determined

**SAFETY DATA SHEET****CUMIN EGYPT OIL**

(according to Regulation (EU) No. 1907/2006)

Revision date: 26/11/2020 | Date of issue: 27-01-2021 | Version: 21



Lluch Essence

Boiling point:	Not determined
Flash point:	65 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Vapour pressure:	Not determined
Vapour density:	Not determined
Density:	0.900 - 0.925 g/cm <sup>3</sup> (20 °C)
Water solubility:	Not determined
Partition coefficient: n-octanol/water:	Not determined
Viscosity:	Not determined
Kinematic viscosity:	Not determined
Oxidising properties:	Not available.
Explosive properties:	Not available.
Lower explosive limit:	Not determined
Upper explosive limit:	Not determined

**9.2 Other information**

Additional information: Not applicable.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Not available.

**10.2 Chemical stability**

Stable under normal operating conditions.

**10.3 Possibility of hazardous reactions**

Hazardous Polymerization: It does not undergo any dangerous reactions under normal conditions.

**10.4 Conditions to avoid**

Heat, flames and other sources of ignition.

Handle in accordance with good industrial hygiene and safety practice.

**10.5 Incompatible materials**

Oxidizing mineral acids, strong reducing agents, strong oxidizing agents.

**10.6 Hazardous decomposition products**

Carbon monoxide and other unidentified organic compounds may be formed upon combustion.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Acute oral toxicity (LD50):	2300 mg/kg
Acute dermal toxicity (LD50):	3275 mg/kg
Acute Inhalation toxicity (LC50 Gas):	Non toxic
Acute Inhalation toxicity (LC50 Dusts and Mists):	Non toxic
Acute Inhalation toxicity (LC50 Vapours):	Non toxic

*See also sections 2 and 3.***SECTION 12: Ecological information****12.1 Toxicity**

Acute aquatic toxicity: Not determined

Chronic aquatic toxicity: Not determined

*See also sections 2 and 3.***12.2 Biodegradation:**

Not determined

**12.3 Bioaccumulative potential:**

Not determined

**12.4 Mobility in soil:**

Not available.

**12.5 Results of PBT and vPvB assessment:**

Not determined

**12.6 Other adverse effects:**

Not available.

Do not allow the material to enter streams, sewers or other waterways.

**SECTION 13: Disposal considerations**



**13.1 Waste treatment methods**

Container disposal: Containers must be disposed of as hazardous waste. Do not reuse empty containers. Dilute the remaining material and neutralise. Empty residue into a suitable disposal site.



Disposal conditions: Dispose of in accordance with all state and local environmental regulations. This material and its container must be disposed of in a safe way.

**SECTION 14: Transport information**



**International Carriage of Dangerous Goods by Road (ADR)**

UN No.: UN3082  
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Cumin, oil)  
 Packing Group: III  
 Class: 9  
 Tunnel restriction code: (-)  
 Label:   9

**Sea Transport (IMDG)**

UN No.: UN3082  
 Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (Contains Cumin, oil)  
 Packing Group: III  
 Class: 9  
 Subsidiary hazard: -  
 Marine Pollutant: Yes  
 Label:  

**Air Transport (ICAO/IATA)**

UN No.: UN3082  
 Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. ( Cumin, oil)  
 Packing Group: III  
 Class: 9  
 Subsidiary hazard: -  
 Label:  

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Not available

## SAFETY DATA SHEET

### CUMIN EGYPT OIL

(according to Regulation (EU) No. 1907/2006)

Revision date: 26/11/2020 | Date of issue: 27-01-2021 | Version: 21



#### 15.2 Chemical safety assessment

Not available.

#### SECTION 16: Other information

Text of hazard statement codes in section 3 (impurities, stabilising additives, constituents):

- H226: Flammable liquid and vapour.
- H302: Harmful if swallowed.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H361: Suspected of damaging fertility or the unborn child.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.

This material should only be used for industrial purposes.

Key literature references and sources for data:

1. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
2. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
3. Occupational Exposure Limits by the INSHT (Spanish National Institute of Safety and Hygiene at Work).

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and our company assumes no liability resulting from the use of this SDS. This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment and must determine suitability of this information for his application.

Reason for Change: No reason (reprint).