

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

PRODUCT : PINE NEEDLE SACHALINENSIS OIL
Chemical name : Fir, Abies sibirica, oil
CAS : 8021-29-2
EC Number : 294-351-9
Registration number (REACH) : 01-2120738835-44/--
Index No.:

1.2 Relevant identified uses of the substance or mixture

Industrial uses. Formulation [mixing] of preparations.
Uses advised against: Other uses than those recommended.
{?/TIPOREG}
{?/EEXP}

1.3 Details of the supplier of the safety data sheet

Lluch Essence, SL
C/ Lo Gaiter de Llobregat 160, 08820 El Prat de Llobregat, Barcelona (Spain - Spain)
Phone Number: +34 93 379 38 49; Fax: +34 93 478 27 54.

1.4 Emergency telephone number

Tel. +34 933 793 849 (8:00 - 17:00 GMT/UTC +1)
Tel. +1 760 476 3961 Access Code: 335550 (available 24/7 - Verisk 3E)
More emergency telephones by region:
<http://www.lluche.com/Emergencytelephones.pdf>.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008

Flammable liquids, Hazard Category 3; H226
Skin corrosion/irritation, Hazard Category 2; H315
Serious eye damage/eye irritation, Hazard Category 2; H319
Sensitisation — Skin, Hazard Category 1; H317
Aspiration hazard, Hazard Category 1; H304
Short-term (acute) aquatic hazard, category acute 1; H400
Long-term (chronic) aquatic hazard, category chronic 1; H410.

2.2 Label elements

EC Number: 294-351-9
Fir, Abies sibirica, oil



Signal word: Danger

Hazard Statements:

H226: Flammable liquid and vapour.
H304: May be fatal if swallowed and enters airways.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280: Wear protective gloves/eye protection/face protection.
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331: Do NOT induce vomiting.
P337+P313: If eye irritation persists: Get medical advice/attention.
P501: Dispose of contents/container to an approved waste disposal plant.

2.3 Other hazards

Not available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Concentration range of the constituent (% weight/weight)	EC number / Registration number	CAS	Chemical name
≥50% and ≤100	294-351-9 01-2120738835-44	8021-29-2	Fir, Abies sibirica, oil

The chemical identity of any impurity, stabilising additive, or individual constituent other than the main constituent:

Concentration (%)	CAS	EC Number	Chemical name	Hazard Class and Category Code; Hazard statement codes
<30,00	5989-54-8	227-815-6	(S)-p-Mentha-1,8-diene	Flam. Liq. 3;H226- Skin Irrit. 2;H315- Skin Sens. 1;H317- Asp. Tox. 1;H304- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 ^[1]
<28,00	5655-61-8	227-101-4	L-born-2-yl acetate	- ^[1]
<25,00	79-92-5	201-234-8	Camphene	Flam. Sol. 2;H228- Eye Irrit. 2;H319- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 ^[1]
<20,00	80-56-8	201-291-9	Pin-2(3)-ene	Flam. Liq. 3;H226- Acute Tox. 4;H302- Skin Irrit. 2;H315- Skin Sens. 1B;H317- Asp. Tox. 1;H304- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 ^[1]
<5,00	13466-78-9	236-719-3	3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene	Flam. Liq. 3;H226- Acute Tox. 4;H332- Skin Irrit. 2;H315- Skin Sens. 1B;H317- Asp. Tox. 1;H304- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 ^[1]
<5,00	18172-67-3	242-060-2	Pin-2(10)-ene	Flam. Liq. 3;H226- Skin Irrit. 2;H315- Skin Sens. 1B;H317- Asp. Tox. 1;H304- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 ^[1]
<2,40	507-70-0	907-653-9	Reaction mass of DL-borneol and exo-1,7,7-trimethylbicyclo[2.2.1]heptan-2-ol	Flam. Sol. 2;H228- Eye Irrit. 2;H319- Aquatic Chronic 2;H411 ^[1]
<1,20	87-44-5	201-746-1	Caryophyllene	Skin Sens. 1B;H317- Asp. Tox. 1;H304- Aquatic Chronic 4;H413 ^[1]
<1,20	586-62-9	209-578-0	p-Mentha-1,4(8)-diene	Flam. Liq. 3;H226- Skin Sens. 1B;H317- Asp. Tox. 1;H304- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 ^[1]
<0,80	123-35-3	204-622-5	7-methyl-3-methyleneocta-1,6-diene	Flam. Liq. 3;H226- Skin Irrit. 2;H315- Eye Irrit. 2;H319- Asp. Tox. 1;H304- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 ^[1]
<0,20	21368-68-3	244-350-4	DL-Bornan-2-one	Flam. Sol. 2;H228- Acute Tox. 4;H302- Acute Tox. 4;H332- Skin Irrit. 2;H315- Eye Dam. 1;H318- STOT SE 2;H371 ^[1]
<0,0100	140-67-0	205-427-8	4-Allylanisole	Acute Tox. 4;H302- Skin Irrit. 2;H315- Skin Sens. 1B;H317- Muta. 2;H341- Carc. 2;H351- Aquatic Chronic 3;H412 ^[1]

[1] Constituent.

SECTION 4: First aid measures

4.1 Description of first aid measures



Consumption:	If swallowed, rinse mouth with water. Seek medical advice immediately and show this container or label. Keep the person at rest. Do NOT induce vomiting.
Eye contact:	Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water and seek medical advice.
Inhalation:	Remove person to fresh air and keep at rest.
Skin contact:	Remove contaminated clothing. Wash skin with mild soap and water, rinse abundantly. If symptoms persist, obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed:

Irritating to skin or mucous membranes (inflammation). If ingested, it may cause temporary irritation to the gastrointestinal (digestive) tract. Causes serious eye irritation.
May produce an allergic reaction (rash, urticaria).
Aspiration hazard. May cause lung damage if swallowed (aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration).
Read label before use. No additional information available.

4.3 Indication of any immediate medical attention and special treatment needed

Not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Recommended: Foam or dry powder.
For safety reasons do not use full water jet.

5.2 Special hazards arising from the substance or mixture

Not applicable.

5.3 Advice for firefighters

Closed containers may build up pressure at elevated temperatures.
Avoid inhalation of fumes or vapours. Use appropriate respiratory protection.
Prevent run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do NOT smoke and do NOT expose the product to an open flame or to any other potential source of ignition.
Wear appropriate gloves to prevent skin exposure.
Avoid contact with skin and inhalation of its vapours or smoke.
Maintain adequate ventilation in the working area after spilling.

6.2 Environmental precautions

Avoid contaminating the environment via the sewers or water sources.

6.3 Methods and material for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).
Ventilate area and wash spill site after material pickup is complete.
Dispose of in accordance with current laws and regulations.

6.4 Reference to other sections

See also sections 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from food, drink and animal feedingstuffs. Do not smoke.
Avoid contact with skin and eyes.
Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities



Keep the product in its original container well sealed, in a dry and ventilated area, away from potential sources of ignition and protected from light. Store in accordance with local/national regulations and follow the warnings on the label.
Keep away from incompatible substances (see section 10).

7.3 Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits:

Spain			
Name of agent	Limit value - 8 hours	Limit value - Short term	Notation
3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene	113 mg/m ³		-
Pin-2(10)-ene	113 mg/m ³		-
Pin-2(3)-ene	113 mg/m ³		-

8.2 Exposure controls

Personal protection equipment: Appropriate personal protective equipment shall be worn in accordance with Regulation (EU) 2016/425.

Engineering Controls-Ventilation: The areas where the product is handled and stored should be adequately ventilated.

Respiratory Protection: Use personal breathing apparatus whenever deemed necessary.

Skin Protection: Avoid contact with skin. Compatible chemical-resistant gloves are recommended.
Rinse and remove gloves immediately after use. Wash hands with soap and water thoroughly after handling.

Eye/Face protection: Chemical safety goggles are recommended. Wash contaminated goggles before reuse.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	LIQUID
Colour:	COLORLESS - PALE YELLOW
Odour:	BALSAMIC, FRESH, DRY
Odour threshold:	Not determined
pH value:	Not determined
Evaporation rate:	Not determined
Melting point:	Not determined
Boiling point:	Not determined
Flash point:	32 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Vapour pressure:	Not determined
Vapour density:	Not determined
Density:	0.870 - 0.910 g/cm ³ (20 °C)
Water solubility:	Not determined
Partition coefficient: n-octanol/water:	Not determined
Viscosity:	Not determined
Kinematic viscosity:	Not determined
Oxidising properties:	Not available.
Explosive properties:	Not available.
Lower explosive limit:	Not determined
Upper explosive limit:	Not determined

9.2 Other information

Additional information: Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

Not available.

10.2 Chemical stability

Stable under normal operating conditions.

10.3 Possibility of hazardous reactions

Hazardous Polymerization: It does not undergo any dangerous reactions under normal conditions.

10.4 Conditions to avoid

Heat, flames and other sources of ignition.
 Handle in accordance with good industrial hygiene and safety practice.

10.5 Incompatible materials

Oxidizing mineral acids, strong reducing agents, strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide and other unidentified organic compounds may be formed upon combustion.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity (LD50):	Non toxic
Acute dermal toxicity (LD50):	Non toxic
Acute Inhalation toxicity (LC50 Gas):	Non toxic
Acute Inhalation toxicity (LC50 Dusts and Mists):	Non toxic
Acute Inhalation toxicity (LC50 Vapours):	Non toxic

See also sections 2 and 3.

SECTION 12: Ecological information

12.1 Toxicity

Acute aquatic toxicity: Not determined

Chronic aquatic toxicity: Not determined

See also sections 2 and 3.

12.2 Biodegradation:

Not determined

12.3 Bioaccumulative potential:

Not determined

12.4 Mobility in soil:

Not available.

12.5 Results of PBT and vPvB assessment:

Not determined

12.6 Other adverse effects:

Not available.
 Do not allow the material to enter streams, sewers or other waterways.

SECTION 13: Disposal considerations



13.1 Waste treatment methods

Container disposal:	Containers must be disposed of as hazardous waste. Do not reuse empty containers. Dilute the remaining material and neutralise. Empty residue into a suitable disposal site.
Disposal conditions:	Dispose of in accordance with all state and local environmental regulations. This material and its container must be disposed of in a safe way.



SECTION 14: Transport information





International Carriage of Dangerous Goods by Road (ADR)

UN No.: UN1272
Proper Shipping Name: PINE OIL
Packing Group: III
Class: 3
Tunnel restriction code: (D/E)
Label:   3

Sea Transport (IMDG)

UN No.: UN1272
Proper Shipping Name: Pine oil
Packing Group: III
Class: 3
Subsidiary hazard: -
Marine Pollutant: Yes
Label:  

Air Transport (ICAO/IATA)

UN No.: UN1272
Proper Shipping Name: Pine oil
Packing Group: III
Class: 3
Subsidiary hazard: -
Label:  

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not available

15.2 Chemical safety assessment

Not available.

SECTION 16: Other information

Text of hazard statement codes in section 3 (impurities, stabilising additives, constituents):

- H226: Flammable liquid and vapour.
- H228: Flammable solid.
- H302: Harmful if swallowed.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H332: Harmful if inhaled.
- H341: Suspected of causing genetic defects.
- H351: Suspected of causing cancer.
- H371: May cause damage to organs.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.
- H412: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET
PINE NEEDLE SACHALINENSIS OIL

(according to Regulation (EU) No. 1907/2006)

Revision date: 26/11/2020 | Date of issue: 28-01-2021 | Version: 13



H413: May cause long lasting harmful effects to aquatic life.

This material should only be used for industrial purposes.

Key literature references and sources for data:

1. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
2. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
3. Occupational Exposure Limits by the INSHT (Spanish National Institute of Safety and Hygiene at Work).

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and our company assumes no liability resulting from the use of this SDS. This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment and must determine suitability of this information for his application.

Reason for Change: No reason (reprint).